


1002 - Country Roads

I am going to my home. There are many cities and many bi-directional roads between them. The cities are numbered from **0** to **n-1** and each road has a cost. There are **m** roads. You are given the number of my city **t** where I belong. Now from each city you have to find the minimum cost to go to my city. The cost is defined by the cost of the maximum road you have used to go to my city.



For example, in the above picture, if we want to go from 0 to 4, then we can choose

- 1) 0 - 1 - 4 which costs 8, as 8 (1 - 4) is the maximum road we used
- 2) 0 - 2 - 4 which costs 9, as 9 (0 - 2) is the maximum road we used
- 3) 0 - 3 - 4 which costs 7, as 7 (3 - 4) is the maximum road we used

So, our result is 7, as we can use 0 - 3 - 4.

Input

Input starts with an integer **T** (≤ 20), denoting the number of test cases.

Each case starts with a blank line and two integers **n** ($1 \leq n \leq 500$) and **m** ($0 \leq m \leq 16000$). The next **m** lines, each will contain three integers **u**, **v**, **w** ($0 \leq u, v < n$, $u \neq v$, $1 \leq w \leq 20000$) indicating that there is a road between **u** and **v** with cost **w**. Then there will be a single integer **t** ($0 \leq t < n$). There can be multiple roads between two cities.

Output

For each case, print the case number first. Then for all the cities (from **0** to **n-1**) you have to print the cost. If there is no such path, print '**Impossible**'.

Sample Input	Output for Sample Input
<pre> 2 5 6 0 1 5 0 1 4 2 1 3 3 0 7 3 4 6 3 1 8 1 5 4 0 1 5 0 1 4 2 1 3 3 4 7 1 </pre>	<pre> Case 1: 4 0 3 7 7 Case 2: 4 0 3 Impossible Impossible </pre>

Note

Dataset is huge, user faster I/O methods.