

1164 - Horrible Queries

World is getting more evil and it's getting tougher to get into the Evil League of Evil. Since the legendary Bad Horse has retired, now you have to correctly answer the evil questions of Dr. Horrible, who has a PhD in horribleness (but not in Computer Science). You are given an array of n elements, which are initially all 0 . After that you will be given q commands. They are -

1. $0\ x\ y\ v$ - you have to add v to all numbers in the range of x to y (inclusive), where x and y are two indexes of the array.
2. $1\ x\ y$ - output a line containing a single integer which is the sum of all the array elements between x and y (inclusive).

The array is indexed from 0 to $n - 1$.

Input

Input starts with an integer T (≤ 5), denoting the number of test cases.

Each case contains two integers n ($1 \leq n \leq 10^5$) and q ($1 \leq q \leq 50000$). Each of the next q lines contains a task in one of the following form:

$0\ x\ y\ v$ ($0 \leq x \leq y < n, 1 \leq v \leq 1000$)

$1\ x\ y$ ($0 \leq x \leq y < n$)

Output

For each case, print the case number first. Then for each query ' $1\ x\ y$ ', print the sum of all the array elements between x and y .

Sample Input	Output for Sample Input
2	Case 1 :
10 5	60
0 0 9 10	13
1 1 6	Case 2 :
0 3 7 2	2
0 4 5 1	0
1 5 5	
20 3	
0 10 12 1	
1 11 12	
1 19 19	

Note

Dataset is huge. Use faster i/o methods.